

What's New *for exocad DentalCAD*

Update Content	Scanbody Update Library
Date	07 August 2023

Portfolio Update with addition of Medentika and Elos Scanbodies to existing Straumann library

The newly added Scanbodies can now be used in the following new Implant Series:

- Straumann_Variobase_ASC_local-milling_conid

NNC Narrow Neck CrossFit - Straumann Scanbody	D4.2 AH3.8 (Angled Solutions) 0°
	D4.2 AH3.8 (Angled Solutions) 5°
	D4.2 AH3.8 (Angled Solutions) 10°
	D4.2 AH3.8 (Angled Solutions) 15°
	D4.2 AH3.8 (Angled Solutions) 20°
	D4.2 AH5.8 (Angled Solutions) 0°
	D4.2 AH5.8 (Angled Solutions) 5°
	D4.2 AH5.8 (Angled Solutions) 10°
	D4.2 AH5.8 (Angled Solutions) 15°
	D4.2 AH5.8 (Angled Solutions) 20°
NNC Narrow Neck CrossFit - Medentika Scanbody	D4.2 AH3.8 (Angled Solutions) 0°
	D4.2 AH3.8 (Angled Solutions) 5°
	D4.2 AH3.8 (Angled Solutions) 10°
	D4.2 AH3.8 (Angled Solutions) 15°
	D4.2 AH3.8 (Angled Solutions) 20°
	D4.2 AH5.8 (Angled Solutions) 0°
	D4.2 AH5.8 (Angled Solutions) 5°
	D4.2 AH5.8 (Angled Solutions) 10°
	D4.2 AH5.8 (Angled Solutions) 15°
	D4.2 AH5.8 (Angled Solutions) 20°

NNC Narrow Neck CrossFit - ELOS Scanbody	D4.2 AH3.8 (Angled Solutions) 0°
	D4.2 AH3.8 (Angled Solutions) 5°
	D4.2 AH3.8 (Angled Solutions) 10°
	D4.2 AH3.8 (Angled Solutions) 15°
	D4.2 AH3.8 (Angled Solutions) 20°
	D4.2 AH5.8 (Angled Solutions) 0°
	D4.2 AH5.8 (Angled Solutions) 5°
	D4.2 AH5.8 (Angled Solutions) 10°
	D4.2 AH5.8 (Angled Solutions) 15°
	D4.2 AH5.8 (Angled Solutions) 20°
NC Narrow CrossFit - Straumann Scanbody	D4.1 AH3.5 GH1.0 (Angled Solutions) 0°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 5°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 10°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 15°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 20°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 0°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 5°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 10°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 15°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 20°
NC Narrow CrossFit - Medentika Scanbody	D4.1 AH3.5 GH1.0 (Angled Solutions) 0°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 5°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 10°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 15°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 20°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 0°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 5°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 10°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 15°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 20°
NC Narrow CrossFit - ELOS Scanbody	D4.1 AH3.5 GH1.0 (Angled Solutions) 0°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 5°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 10°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 15°
	D4.1 AH3.5 GH1.0 (Angled Solutions) 20°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 0°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 5°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 10°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 15°
	D4.1 AH5.5 GH1.0 (Angled Solutions) 20°

RC Regular CrossFit - Straumann Scanbody	D4.7 AH3.5 GH1.0 (Angled Solutions) 0°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 5°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 10°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 15°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 20°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 0°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 5°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 10°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 15°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 20°
RC Regular CrossFit - Medentika Scanbody	D4.7 AH3.5 GH1.0 (Angled Solutions) 0°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 5°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 10°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 15°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 20°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 0°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 5°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 10°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 15°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 20°
RC Regular CrossFit - ELOS Scanbody	D4.7 AH3.5 GH1.0 (Angled Solutions) 0°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 5°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 10°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 15°
	D4.7 AH3.5 GH1.0 (Angled Solutions) 20°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 0°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 5°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 10°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 15°
	D4.7 AH5.5 GH1.0 (Angled Solutions) 20°
RN Regular Neck - Straumann Scanbody	D5.1 AH4.0 (Angled Solutions) 0°
	D5.1 AH4.0 (Angled Solutions) 5°
	D5.1 AH4.0 (Angled Solutions) 10°
	D5.1 AH4.0 (Angled Solutions) 15°
	D5.1 AH4.0 (Angled Solutions) 20°
	D5.1 AH6.0 (Angled Solutions) 0°
	D5.1 AH6.0 (Angled Solutions) 5°
	D5.1 AH6.0 (Angled Solutions) 10°
	D5.1 AH6.0 (Angled Solutions) 15°
	D5.1 AH6.0 (Angled Solutions) 20°

RN Regular Neck - Medentika Scanbody	D5.1 AH4.0 (Angled Solutions) 0°
	D5.1 AH4.0 (Angled Solutions) 5°
	D5.1 AH4.0 (Angled Solutions) 10°
	D5.1 AH4.0 (Angled Solutions) 15°
	D5.1 AH4.0 (Angled Solutions) 20°
	D5.1 AH6.0 (Angled Solutions) 0°
	D5.1 AH6.0 (Angled Solutions) 5°
	D5.1 AH6.0 (Angled Solutions) 10°
	D5.1 AH6.0 (Angled Solutions) 15°
	D5.1 AH6.0 (Angled Solutions) 20°
RN Regular Neck - ELOS Scanbody	D5.1 AH4.0 (Angled Solutions) 0°
	D5.1 AH4.0 (Angled Solutions) 5°
	D5.1 AH4.0 (Angled Solutions) 10°
	D5.1 AH4.0 (Angled Solutions) 15°
	D5.1 AH4.0 (Angled Solutions) 20°
	D5.1 AH6.0 (Angled Solutions) 0°
	D5.1 AH6.0 (Angled Solutions) 5°
	D5.1 AH6.0 (Angled Solutions) 10°
	D5.1 AH6.0 (Angled Solutions) 15°
	D5.1 AH6.0 (Angled Solutions) 20°
WN Wide Neck - Straumann Scanbody	D7.0 AH4.5 (Angled Solutions) 0°
	D7.0 AH4.5 (Angled Solutions) 5°
	D7.0 AH4.5 (Angled Solutions) 10°
	D7.0 AH4.5 (Angled Solutions) 15°
	D7.0 AH4.5 (Angled Solutions) 20°
	D7.0 AH6.5 (Angled Solutions) 0°
	D7.0 AH6.5 (Angled Solutions) 5°
	D7.0 AH6.5 (Angled Solutions) 10°
	D7.0 AH6.5 (Angled Solutions) 15°
	D7.0 AH6.5 (Angled Solutions) 20°
WN Wide Neck - Medentika Scanbody	D7.0 AH4.5 (Angled Solutions) 0°
	D7.0 AH4.5 (Angled Solutions) 5°
	D7.0 AH4.5 (Angled Solutions) 10°
	D7.0 AH4.5 (Angled Solutions) 15°
	D7.0 AH4.5 (Angled Solutions) 20°
	D7.0 AH6.5 (Angled Solutions) 0°
	D7.0 AH6.5 (Angled Solutions) 5°
	D7.0 AH6.5 (Angled Solutions) 10°
	D7.0 AH6.5 (Angled Solutions) 15°
	D7.0 AH6.5 (Angled Solutions) 20°

WN Wide Neck - ELOS Scanbody	D7.0 AH4.5 (Angled Solutions) 0°
	D7.0 AH4.5 (Angled Solutions) 5°
	D7.0 AH4.5 (Angled Solutions) 10°
	D7.0 AH4.5 (Angled Solutions) 15°
	D7.0 AH4.5 (Angled Solutions) 20°
	D7.0 AH6.5 (Angled Solutions) 0°
	D7.0 AH6.5 (Angled Solutions) 5°
	D7.0 AH6.5 (Angled Solutions) 10°
	D7.0 AH6.5 (Angled Solutions) 15°
	D7.0 AH6.5 (Angled Solutions) 20°
RB Regular Base - Straumann Scanbody	D4.5 AH5.5 GH1.5 (Angled Solutions) 0°
	D4.5 AH5.5 GH1.5 (Angled Solutions) 5°
	D4.5 AH5.5 GH1.5 (Angled Solutions) 10°
	D4.5 AH5.5 GH1.5 (Angled Solutions) 15°
	D4.5 AH5.5 GH1.5 (Angled Solutions) 20°
RB Regular Base - Medentika Scanbody	D4.5 AH5.5 GH1.5 (Angled Solutions) 0°
	D4.5 AH5.5 GH1.5 (Angled Solutions) 5°
	D4.5 AH5.5 GH1.5 (Angled Solutions) 10°
	D4.5 AH5.5 GH1.5 (Angled Solutions) 15°
	D4.5 AH5.5 GH1.5 (Angled Solutions) 20°
WB Wide Base - Straumann Scanbody	D5.5 AH5.5 GH1.5 (Angled Solutions) 0°
	D5.5 AH5.5 GH1.5 (Angled Solutions) 5°
	D5.5 AH5.5 GH1.5 (Angled Solutions) 10°
	D5.5 AH5.5 GH1.5 (Angled Solutions) 15°
	D5.5 AH5.5 GH1.5 (Angled Solutions) 20°
WB Wide Base - Medentika Scanbody	D5.5 AH5.5 GH1.5 (Angled Solutions) 0°
	D5.5 AH5.5 GH1.5 (Angled Solutions) 5°
	D5.5 AH5.5 GH1.5 (Angled Solutions) 10°
	D5.5 AH5.5 GH1.5 (Angled Solutions) 15°
	D5.5 AH5.5 GH1.5 (Angled Solutions) 20°
RD Regular Diameter - Straumann Scanbody	RD AH3.5 (Angled Solutions) 0°
	RD AH3.5 (Angled Solutions) 5°
	RD AH3.5 (Angled Solutions) 10°
	RD AH3.5 (Angled Solutions) 15°
	RD AH3.5 (Angled Solutions) 20°
	RD AH5.5 (Angled Solutions) 0°
	RD AH5.5 (Angled Solutions) 5°
	RD AH5.5 (Angled Solutions) 10°
	RD AH5.5 (Angled Solutions) 15°
	RD AH5.5 (Angled Solutions) 20°

RD Regular Diameter - Medentika Scanbody	RD AH3.5 (Angled Solutions) 0°
	RD AH3.5 (Angled Solutions) 5°
	RD AH3.5 (Angled Solutions) 10°
	RD AH3.5 (Angled Solutions) 15°
	RD AH3.5 (Angled Solutions) 20°
	RD AH5.5 (Angled Solutions) 0°
	RD AH5.5 (Angled Solutions) 5°
	RD AH5.5 (Angled Solutions) 10°
	RD AH5.5 (Angled Solutions) 15°
	RD AH5.5 (Angled Solutions) 20°
NT Narrow TorcFit - Straumann Scanbody	D4.0 AH6.5 (Angled Solutions) 0°
	D4.0 AH6.5 (Angled Solutions) 5°
	D4.0 AH6.5 (Angled Solutions) 10°
	D4.0 AH6.5 (Angled Solutions) 15°
	D4.0 AH6.5 (Angled Solutions) 20°
NT Narrow TorcFit - Medentika Scanbody	D4.0 AH6.5 (Angled Solutions) 0°
	D4.0 AH6.5 (Angled Solutions) 5°
	D4.0 AH6.5 (Angled Solutions) 10°
	D4.0 AH6.5 (Angled Solutions) 15°
	D4.0 AH6.5 (Angled Solutions) 20°
RT Regular TorcFit - Straumann Scanbody	D5.0 AH7.0 (Angled Solutions) 0°
	D5.0 AH7.0 (Angled Solutions) 5°
	D5.0 AH7.0 (Angled Solutions) 10°
	D5.0 AH7.0 (Angled Solutions) 15°
	D5.0 AH7.0 (Angled Solutions) 20°
RT Regular TorcFit - Medentika Scanbody	D5.0 AH7.0 (Angled Solutions) 0°
	D5.0 AH7.0 (Angled Solutions) 5°
	D5.0 AH7.0 (Angled Solutions) 10°
	D5.0 AH7.0 (Angled Solutions) 15°
	D5.0 AH7.0 (Angled Solutions) 20°
WT Wide TorcFit - Straumann Scanbody	D7.0 AH7.5 (Angled Solutions) 0°
	D7.0 AH7.5 (Angled Solutions) 5°
	D7.0 AH7.5 (Angled Solutions) 10°
	D7.0 AH7.5 (Angled Solutions) 15°
	D7.0 AH7.5 (Angled Solutions) 20°
WT Wide TorcFit - Medentika Scanbody	D7.0 AH7.5 (Angled Solutions) 0°
	D7.0 AH7.5 (Angled Solutions) 5°
	D7.0 AH7.5 (Angled Solutions) 10°
	D7.0 AH7.5 (Angled Solutions) 15°

Please ensure that you read the Design Guideline and IFU for the product.

Design Guideline: https://www.straumann.com/content/dam/media-center/straumann/en/software/exocad/Exocad_General_Information.pdf

IFU: <https://ifu.straumann.com/STMN/STMNPortfolio>

PRODUCT DESCRIPTION: Scanbody Update Libraries

REF: 010.1065

GTIN: 7630031701978

Note:

Please ensure to use Straumann_Analogs Version 4.0 or newer in connection with these mentioned new libraries!

Regulatory requirements

Due to country-specific regulatory requirements, components may not be available in your market. For more information, please contact your local contact person or check product availability.